

The Puck

4 Port GigaBit Ethernet Switch



DESCRIPTION

We are bringing advanced networking capabilities to next generation drones robots and embedded applications with this rugged 4 Port GigaBit Ethernet Switch, The Amphenol Puck!

FEATURES

- Full Command Line Interface for Port Management, VLAN, LACP and QoS
- Voltage input range: 5-60V; 3 Watts max
- Weight: 82 grams (not including cables)
- 45.4 mm (1.79 inch) x 45.4 mm (1.79 inch) x 25 mm (0.98 inch)
- MIL-STD-810H qualified for Vibration, Mechanical Shock, Humidity, Temperature, Temperature Shock, Altitude and Decompression

HOW TO ORDER

Part Number	CF-02BBPUK	The Amphenol Puck
-------------	------------	-------------------



Notice: Specifications are subject to change without notice. Contact your nearest Amphenol Corporation Sales Office for the latest specifications. All statements, information and data given herein are believed to be accurate and reliable but are presented without guarantee, warranty, or responsibility of any kind, expressed or implied. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should assume that all safety measures are indicated or that other measures may not be required. Specifications are typical and may not apply to all connectors.

AMPHENOL is a registered trademark of Amphenol Corporation.

©2023 Amphenol Corporation REV: PRELIMINARY

Amphenol

MILITARY HIGH SPEED

40-60 Delaware Avenue

Sidney, NY 13838

amphenol-aerospace.com | amphenolmao.com

John Tucci • Phone: (607) 563-5388 • Email: jtucci@amphenol-aao.com

• www.amphenol-aerospace.com